

Architecturally Inspired  
Solid Timber Cladding, Lining and Trims

Western Red Cedar 133mm  
V-Joint cladding, Ipswich QLD.



Humans are innately drawn towards timber, and the warmth it brings to our built environment.

Welcome to the world of Tilling architectural profiles. The Tilling Group has manufactured Western Red Cedar and other architectural products in Australia since 1965. The Tilling brand is associated with the highest quality solid timber profiles available. Already known as the best environmental choice, specifiers and home owners are now choosing feature timber linings and claddings to enhance the quality of our built environment.

The Tilling Group is committed to the sustainable management and use of the world's forest resources. We hold PEFC Chain of Custody Certification, and source our timber from certified mills around the world.

Tilling architectural products are available through all timber and hardware resellers throughout Australia.





## Contents

---

Western Red Cedar CLADDING	4
Western Red Cedar LINING/CLADDING	6
Western Red Cedar LINING	8
Tasmanian Oak LINING	10
Finnish Whitewood LINING	12
Western Red Cedar RUSTIC	13
Western Red Cedar TRIM	14
Western Red Cedar PRE-FINISHED TRIM	14
Western Red Cedar PREMIUM DRESSED ALL ROUND BOARDS	15
Western Red Cedar PREMIUM SAWN BOARDS	15

---



# Western Red Cedar CLADDING



Western Red Cedar claddings are renowned for their warmth and longevity, the perfect species to introduce natural aesthetics to any contemporary building.

Tilling's Western Red Cedar claddings are manufactured from PEFC Certified timber. Prized for its stability and durability, Western Red Cedar will withstand the challenges of our Australian climate.

Natural colour tones range from light straw through buff and warm red to the occasional deep brown. If left unfinished, all Western Red Cedar claddings will age gracefully to a silver finish without losing their weather resistant attributes.

Ask your timber merchant about Tilling's Western Red Cedar claddings.





Western Red Cedar 78mm SlimLine secret nail cladding, compatible with various expressed join detailed sheet claddings.



**Species:** *Thuja plicata*

**Feed Stock Grade:** Western Red Cedar No.2 Clear and Better

**Product Grade:** Defect docked for premium quality

**Durability:** Class 2 (15-40 years probable life expectancy above ground)

**Acoustic:**


Rw = 22 Rw+Ctr = 20 (18mm thick product)

Rw = 21 Rw+Ctr = 19 (14mm thick product)

Product samples are available on request.


## V-Joint

Provides a subtle shadow between boards. Boards have a dressed face and are uncoated. Choose between 18mm thickness for robust cladding or 14mm for garage door, ceiling and light cladding applications.




## SlimLine


Sleek and minimalist, this refined secret nail cladding has a slim 5mm shadow line between boards. Face options include dressed, fine sawn or rustic sawn. Boards are uncoated, ready to paint or stain.



## ShipLap

This bold profile features broad shadow lines between boards. Boards have a dressed face and are uncoated. Choose between 18mm thickness for robust cladding or 14mm for garage door, ceiling and light cladding applications.





# Western Red Cedar LINING / CLADDING

Horizon™ provides a continuous, bold, linear appearance with strong shadow lines – making it ideal for interior and exterior feature walls.

The castellations on Horizon's surface create the effect of dressed battens, with the convenience of secret nail tongue and groove profiling.

The Horizon™ range gives you the longest lengths possible for maximum impact.

Ask your timber merchant about Tilling's Western Red Cedar linings and claddings.





Western Red Cedar HORIZON Double Step. These secret nail boards are perfect for feature walls and are suitable for both interior and exterior use.



**Species:** *Thuja plicata*

**Feed Stock Grade:** Western Red Cedar No.2 Clear and Better

**Product Grade:** Run of mill

**Durability:** Class 2 (15-40 years probable life expectancy above ground)

**Acoustic:**



Rw = 24 Rw+Ctr = 22 (26mm thick product)

Rw = 22 Rw+Ctr = 20 (18mm thick product)

Product samples are available on request.


## HORIZON™ Double Step

HORIZON™ Double Step profile provides the look of a 29mm batten, with the convenience of a secret nail tongue and groove board. Boards have a dressed face and are available in 26mm or 18mm thickness uncoated, ready to paint or stain.



## HORIZON™ Triple Step

HORIZON™ Triple Step castellation profile provides the look of a 15mm batten, with the convenience of a secret nail tongue and groove board. Boards have a dressed face and are available in 26mm or 18mm thickness uncoated, ready to paint or stain.





# Western Red Cedar LINING

Western Red Cedar solid timber linings are the perfect way to introduce warmth and quality to any contemporary interior.

Tilling Western Red Cedar linings have an unsurpassed reputation for quality. We remove all defects from our Western Red Cedar linings to provide the highest grade finished product, leaving only premium boards to minimize wastage.

Our broad range of profiles helps you find the perfect lining for your style – from subtle to minimalist to bold.

Ask your timber merchant about Tilling's Western Red Cedar linings.





Western Red Cedar pre-finished 86mm V-Joint linings.  
Quick and simple to install, no stain required.



**Species:** *Thuja plicata*

**Feed Stock Grade:** Western Red Cedar No.2 Clear and Better



**Product Grade:** Defect docked for premium quality

**Acoustic:**  $Rw+Ctr = 17$

Product samples are available on request.


## V-Joint

Provides a subtle shadow between boards. Boards have a dressed face and are available either uncoated or pre-finished (PF) with three coats of UV cured semi gloss polyurethane.





## SlimLine

Sleek and minimalist, this refined lining has a slim 5mm shadow line between boards, compatible with expressed joint detailing within the home. Face options include dressed, fine sawn and rustic sawn. Boards are available uncoated, ready to stain.



## ShipLap

This bold lining profile features broad shadow lines between boards, and is another great traditional profile. Boards have a dressed face and are available uncoated, ready to stain.



# Tasmanian Oak LINING



Tasmanian Oak is prized for its blonde colour and distinct grain, complementing modern colour tones.

Sourced from expertly managed stands of timber in Southern Tasmania, our select blend of species produces a consistent look towards the lighter end of the Tasmanian Oak colour spectrum. Perfect for those seeking a uniform blonde timber impression within the home.

Tasmanian Oak's natural hardness improves its durability in high traffic areas.

Ask your timber merchant about Tilling's Tasmanian Oak linings.





Tasmanian Oak 133mm ShipLap lining.  
Beautiful clear, fine grained timber.



**Species:** mixture *Eucalyptus obliqua* (majority), *Eucalyptus delegatensis*, *Eucalyptus regnans*

**Feed Stock Grade:** Tasmanian Oak Select Grade

**Product Grade:** Run of mill

**Acoustic:** Rw+Ctr = 23



Product samples are available on request.



**Responsible Wood**  
RW/1-44-45


## V-Joint

Provides a subtle shadow between boards. Boards have a dressed face and are available either uncoated or pre-finished (PF) with three coats of UV cured semi gloss polyurethane




## SlimLine

Provides a subtle shadow between boards. Boards have a dressed face and are available either uncoated or pre-finished (PF) with three coats of UV cured semi gloss polyurethane.



## ShipLap

This bold lining profile features broad shadow lines between boards, and is another great traditional profile. Boards have a dressed face and are available uncoated, ready to stain.



# Finnish Whitewood LINING



Finnish Whitewood 86mm V-Joint linings convey the understated elegance of Scandinavian styling.

Finnish Whitewood provides the ultimate clean timber interior, with pale colour and consistent grain.

Finnish Whitewood is the lightest of all Tilling architectural products. This timber's fine, even grain and delicate blonde colour convey the understated elegance and raw beauty of Scandinavian styling.

Finnish Whitewood's blonde tone accepts most stains readily. V-Joint profile flawlessly coated with three layers of clear UV cured semi gloss polyurethane is ideal for quick and simple installation.

**Species:** *Pinus sylvestris*

**Product Grade:** Nordic Soft Wood Grade A, possible wane on reverse face


**Acoustic:** Rw+Ctr = 22

Product samples are available on request.

Ask your timber merchant about Tilling's Finnish Whitewood linings.


## V-Joint

Provides a subtle shadow between boards. Boards have a dressed face and are available either uncoated or pre-finished (PF) with three coats of UV cured semi gloss polyurethane.



## SlimLine

Sleek and minimalist, this refined lining has a slim 5mm shadow line between boards, compatible with expressed joint detailing within the home. Boards have a dressed face and are available uncoated, ready to stain.







Timeless Western Red Cedar Shingles

## Shingles

For roofing applications choose Blue Label premium clear grade, fully quarter sawn (2.3m<sup>2</sup> cover per bundle). For general purposes applications choose Red Label general purpose grade containing both quarter and back sawn (3.72m<sup>2</sup> coverage per bundle).

## Shakes

Hand split and re-sawn. Suitable for roofing applications with minimum roof pitch of 20° (1.33m<sup>2</sup> coverage per bundle).

## Shingle Ridging

400mm (nominal) length, 80mm ridge depth (5080mm run of ridging per bundle)

## Weatherboards

Unseasoned (green) Weatherboard/Bevel Siding, sawn finish, random length specification only.

Whether your project is contemporary or period, Tilling Rustic products can provide impact.

The Tilling range of Western Red Cedar Rustic products are perfect for Hamptons, California Bungalow or alternative looks. Our shingles, shakes and weatherboards are some of our most enduring product lines.








More information on our Rustic products can be found on our website.



## Western Red Cedar TRIMS

Available in 2.4m, 3.0m and 3.6m lengths from PEFC certified timber.







PROFILE	DESCRIPTION	PRODUCT CODE
	18 x 18mm Internal Corner	<b>M031818C</b>
	30 x 30mm External Corner	<b>M023030C</b>
	18 x 18mm Quad	<b>M061818C</b>
	18 x 18mm Tri-Quad	<b>M051818C</b>
	30 x 9mm Dressed All Round board	<b>B309C</b>
	28 x 28mm Dressed All Round board	<b>B2828C</b>
	65 x 28mm Dressed All Round board	<b>B6528C</b>

## Western Red Cedar PRE-FINISHED TRIMS

Available in 2.4m, 3.0m and 3.6m lengths from PEFC certified timber.



PROFILE	DESCRIPTION	PRODUCT CODE
	Pre-Finished 18 x 18mm Internal Corner	<b>M031818CPF</b>
	Pre-Finished 30 x 30mm External Corner	<b>M023030CPF</b>
	Pre-Finished 18 x 18mm Quad	<b>M061818CPF</b>
	Pre-Finished 30 x 9mm Dressed All Round board	<b>B309CPF</b>

**Species:** *Thuja plicata*

**Feed Stock Grade:** Western Red Cedar No.2 Clear and Better

**Product Grade:** Run of mill



## Western Red Cedar PREMIUM DRESSED ALL ROUND BOARDS

Manufactured from PEFC certified timber.



DESCRIPTION	PRODUCT CODE
38 x 17mm Dressed All Round board	B3817C
65 x 17mm Dressed All Round board	B6517C
90 x 17mm Dressed All Round board	B9017C
138 x 17mm Dressed All Round board	B13817C
38 x 38mm Dressed All Round board	B3838C
65 x 38mm Dressed All Round board	B6538C
90 x 38mm Dressed All Round board	B9038C
138 x 38mm Dressed All Round board	B13838C
<b>PRE-FINISHED D.A.R.</b>	
Pre-Finished 38 x 17mm Dressed All Round board	B3817CPF

## Western Red Cedar PREMIUM SAWN BOARDS

Manufactured from PEFC certified timber.



DESCRIPTION	PRODUCT CODE
100 x 22mm Sawn board	B10022SC
150 x 22mm Sawn board	B15022SC
100 x 45mm Sawn board	B10045SC
150 x 45mm Sawn board	B15045SC

**Species:** *Thuja plicata*

**Feed Stock Grade:** Western Red Cedar No.2 Clear and Better

**Product Grade:** Defect docked for premium quality

## Finnish Whitewood TRIMS

Available in 2.4m, 3.0m and 3.6m lengths

PROFILE	DESCRIPTION	PRODUCT CODE
	13.5 x 13.5mm Tri-Quad	M151313W

**Species:** *Pinus sylvestris*

**Product Grade:** Nordic Soft Wood Grade A, possible wane on reverse face



**Tilling Timber Pty Ltd**  
**[www.tilling.com.au](http://www.tilling.com.au)**

**Proudly Australian owned and manufactured.**

**Victoria**

31-45 Orchard Street  
Kilsyth VIC 3137  
AUSTRALIA

[sales@tilling.com.au](mailto:sales@tilling.com.au)  
Tel +61 3 9725 0222  
Fax +61 3 9725 3045

**New South Wales**

109 Kurrajong Avenue  
Mt Druitt NSW 2770  
AUSTRALIA

[nswsales@tilling.com.au](mailto:nswsales@tilling.com.au)  
Tel +61 2 9677 2600  
Fax +61 2 9677 2500

**Queensland**

84 Magnesium Drive  
Crestmead QLD 4132  
AUSTRALIA

[qldsales@tilling.com.au](mailto:qldsales@tilling.com.au)  
Tel +61 7 3440 5400  
Fax +61 7 3440 5444

**Western Australia**

10 Cartwright Drive  
Forrestdale WA 6112  
AUSTRALIA

[wasales@tilling.com.au](mailto:wasales@tilling.com.au)  
Tel +61 8 9399 1609  
Fax +61 8 9399 1065

**South Australia**

5-9 Woomera Avenue  
Edinburgh SA 5111  
AUSTRALIA

[sasales@tilling.com.au](mailto:sasales@tilling.com.au)  
Tel +61 8 8345 1966  
Fax +61 8 8345 1977

**Available From:**



03 5821 7277